



# Template for contribution to Computo

Example based on the quarto system

ISSN 2824-7795

Jane Doe <sup>1</sup> Statistics, Name of Affiliation one  
John Doe Computer Science, Name of Affiliation two

Date published: 2024-05-19 Last modified: 2024-05-19

## Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur posuere vestibulum facilis. Aenean pretium orci augue, quis lobortis libero accumsan eu. Nam mollis lorem sit amet pellentesque ullamcorper. Curabitur lobortis libero eget malesuada vestibulum. Nam nec nibh massa. Pellentesque porttitor cursus tellus. Mauris urna erat, rhoncus sed faucibus sit amet, venenatis eu ipsum.

Keywords: key1, key2, key3

## 1 Contents

2	<b>1 Introduction</b>	<b>2</b>
3	1.1 About this document . . . . .	2
4	1.2 Advice for writing your manuscript . . . . .	2
5	<b>2 Formatting</b>	<b>2</b>
6	2.1 Basic markdown formatting . . . . .	2
7	2.2 Mathematics . . . . .	2
8	2.2.1 Mathematical formulae . . . . .	2
9	2.2.2 Theorems and other amsthm-like environments . . . . .	3
10	2.3 Code . . . . .	3
11	2.3.1 R . . . . .	3
12	2.3.2 Python . . . . .	3
13	2.4 Figures . . . . .	4
14	2.5 Tables . . . . .	4
15	2.6 Handling references . . . . .	5
16	2.6.1 Bibliographic references . . . . .	5
17	2.6.2 Other cross-references . . . . .	5
18	<b>References</b>	<b>5</b>
19	<b>Session information</b>	<b>5</b>

<sup>1</sup>Corresponding author: [janedoe@nowhere.moon](mailto:janedoe@nowhere.moon)

## 20 **1 Introduction**

### 21 **1.1 About this document**

22 This document provides a template based on the [quarto system](#) for contributions to **Computo**  
23 **Computo Team (2021)**. We show how Python (Perez, Granger, and Hunter 2011) or R (R Core Team  
24 2020) code can be included.

### 25 **1.2 Advice for writing your manuscript**

26 First make sure that you are able to build your manuscript as a regular notebook on your system.

## 27 **2 Formatting**

28 This section covers basic formatting guidelines. [Quarto](#) is a versatile formatting system for authoring  
29 HTML based on markdown, integrating LaTeX and various code block interpreted either via Jupyter  
30 or Knitr (and thus deal with Python, R and many other languages). It relies on the [Pandoc Markdown](#)  
31 markup language.

32 To render/compile a document, run `quarto render`. A document will be generated that includes  
33 both content as well as the output of any embedded code chunks within the document:

```
quarto render content.qmd # will render to html
```

### 34 **2.1 Basic markdown formatting**

35 **Bold text** or *italic*

- 36 • This is a list
- 37 • With more elements
- 38 • It isn't numbered.

39 But we can also do a numbered list

- 40 1. This is my first item
- 41 2. This is my second item
- 42 3. This is my third item

### 43 **2.2 Mathematics**

#### 44 **2.2.1 Mathematical formulae**

45 [LaTeX](#) code is natively supported<sup>2</sup>, which makes it possible to use mathematical formulae:  
46 will render

$$f(x_1, \dots, x_n; \mu, \sigma^2) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{1}{2\sigma^2} \sum_{i=1}^n (x_i - \mu)^2\right)$$

47 It is also possible to cross-reference an equation, see [Equation 1](#):

---

<sup>2</sup>We use [katex](#) for this purpose.

$$\begin{aligned}
 D_{x_N} &= \frac{1}{2} \begin{bmatrix} x_L^\top & x_N^\top \end{bmatrix} \begin{bmatrix} L_L & B \\ B^\top & L_N \end{bmatrix} \begin{bmatrix} x_L \\ x_N \end{bmatrix} \\
 &= \frac{1}{2} (x_L^\top L_L x_L + 2x_N^\top B^\top x_L + x_N^\top L_N x_N),
 \end{aligned}
 \tag{1}$$

## 48 2.2.2 Theorems and other amsthem-like environments

49 Quarto includes a nice support for theorems, with predefined prefix labels for theorems, lemmas,  
50 proposition, etc. see [this page](#). Here is a simple example:

51 **Theorem 2.1** (Strong law of large numbers). *The sample average converges almost surely to the*  
52 *expected value:*

$$\bar{X}_n \xrightarrow{a.s.} \mu \quad \text{when } n \rightarrow \infty.$$

53 See Theorem 2.1.

## 54 2.3 Code

55 Quarto uses either Jupyter or knitr to render code chunks. This can be triggered in the yaml header,  
56 e.g., for Jupyter (should be installed on your computer) use

```

---
title: "My Document"
author "Jane Doe"
jupyter: python3
---
```

57 For knitr (R + knitr must be installed on your computer)

```

---
title: "My Document"
author "Jane Doe"
---
```

58 You can use Jupyter for Python code and more. And R + Knitr for if you want to mix R with Python  
59 (via the package reticulate Ushey, Allaire, and Tang (2020)).

### 60 2.3.1 R

61 R code (R Core Team 2020) chunks may be embedded as follows:

```
x <- rnorm(10)
```


### 62 2.3.2 Python

```

---
title: "My Document"
author "Jane Doe"
jupyter: python3
---
```

63 **2.4 Figures**

64 Plots can be generated as follows:



65

66 It is also possible to create figures from static images:



Figure 1: SFdS logo (c.a. 2021)

67 **2.5 Tables**

68 Tables (with label: @tbl-mylabel renders Table 1) can be generated with markdown as follows

Table 1: my table caption

Tables	Are	Cool
col 1 is	left-aligned	\$1600
col 2 is	centered	\$12
col 3 is	right-aligned	\$1

69 Table can also be generated by some code, for instance with knitr here:

Table 2: Table caption.

speed	dist
Min. : 4.0	Min. : 2.00
1st Qu.:12.0	1st Qu.: 26.00
Median :15.0	Median : 36.00
Mean :15.4	Mean : 42.98

speed	dist
3rd Qu.:19.0	3rd Qu.: 56.00
Max. :25.0	Max. :120.00


## 70 2.6 Handling references

### 71 2.6.1 Bibliographic references

72 References are displayed as footnotes using [BibTeX](#), e.g. [`@computo`] will be displayed as (Computo  
73 Team 2021), where `computo` is the bibtex key for this specific entry. The bibliographic informa-  
74 tion is automatically retrieved from the `.bib` file specified in the header of this document (here:  
75 `references.bib`).

### 76 2.6.2 Other cross-references

77 As already (partially) seen, Quarto includes a mechanism similar to the bibliographic references for  
78 sections, equations, theorems, figures, lists, etc. Have a look at [this page](#).

 For more information

[Check our mock version of the t-SNE paper](#) for a full and advanced example using the Jupyter kernel.

[The template available in the Computo Quarto extension](#) uses advanced features and the KnitR kernel (interactive plots and pseudocode).

## 80 References

- 81 Computo Team. 2021. “Computo: Reproducible Computational/Algorithmic Contributions in Statis-  
82 tics and Machine Learning.” *Computo*.
- 83 Perez, Fernando, Brian E Granger, and John D Hunter. 2011. “Python: An Ecosystem for Scientific  
84 Computing.” *Computing in Science & Engineering* 13 (2): 13–21.
- 85 R Core Team. 2020. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R  
86 Foundation for Statistical Computing. <https://www.R-project.org/>.
- 87 Ushey, Kevin, JJ Allaire, and Yuan Tang. 2020. *Reticulate: Interface to Python*. [https://github.com/](https://github.com/rstudio/reticulate)  
88 [rstudio/reticulate](https://github.com/rstudio/reticulate).

## 90 Session information

91 R version 4.4.0 (2024-04-24)

92 Platform: x86\_64-pc-linux-gnu

93 Running under: Ubuntu 22.04.4 LTS

94

95 Matrix products: default

96 BLAS: /usr/lib/x86\_64-linux-gnu/openblas-pthread/libblas.so.3

97 LAPACK: /usr/lib/x86\_64-linux-gnu/openblas-pthread/libopenblas-p-r0.3.20.so; LAPACK version 3.10.0

98

99 locale:

100 [1] LC\_CTYPE=C.UTF-8

LC\_NUMERIC=C

LC\_TIME=C.UTF-8

```

101 [4] LC_COLLATE=C.UTF-8      LC_MONETARY=C.UTF-8      LC_MESSAGES=C.UTF-8
102 [7] LC_PAPER=C.UTF-8        LC_NAME=C                 LC_ADDRESS=C
103 [10] LC_TELEPHONE=C          LC_MEASUREMENT=C.UTF-8  LC_IDENTIFICATION=C
104
105 time zone: UTC
106 tzcode source: system (glibc)
107
108 attached base packages:
109 [1] stats      graphics  grDevices datasets  utils      methods    base
110
111 other attached packages:
112 [1] ggplot2_3.5.1
113
114 loaded via a namespace (and not attached):
115 [1] Matrix_1.6-5      gtable_0.3.5      jsonlite_1.8.8    dplyr_1.1.4
116 [5] compiler_4.4.0    renv_1.0.7         tidyselect_1.2.1  Rcpp_1.0.12
117 [9] splines_4.4.0     scales_1.3.0      png_0.1-8         yaml_2.3.8
118 [13] fastmap_1.2.0     reticulate_1.36.1 lattice_0.22-5    R6_2.5.1
119 [17] labeling_0.4.3    generics_0.1.3    knitr_1.46        tibble_3.2.1
120 [21] munsell_0.5.1     pillar_1.9.0      rlang_1.1.3       utf8_1.2.4
121 [25] xfun_0.44         cli_3.6.2         withr_3.0.0       magrittr_2.0.3
122 [29] mgcv_1.9-1        digest_0.6.35     grid_4.4.0        nlme_3.1-163
123 [33] lifecycle_1.0.4   vctrs_0.6.5       evaluate_0.23     glue_1.7.0
124 [37] farver_2.1.2      codetools_0.2-19 fansi_1.0.6        colorspace_2.1-0
125 [41] rmarkdown_2.26    tools_4.4.0       pkgconfig_2.0.3   htmltools_0.5.8.1

```